

Trimix 18% O ₂ 34% He END 26									
P.M.	50	50	50	50					
B.T.	15	20	25	30					
40		16		21		26			31
30		17		22		27			32
Quota cambio Trimix/Ean 50 21 mt.									
21	1	19	1	24	1	29	1	34	
18							1	35	
15					1	30	1	36	
12		20	2	27	3	33	6	42	
9	1	21	2	29	6	39	6	48	
6	3	24	6	35	12	51	17	65	
3	14	38	21	56	22	73	27	92	
T.T.	39'	57'	74'	93'					

Trimix 18% O ₂ 34% He END 29									
P.M.	55	55	55	55					
B.T.	15	20	25	30					
45		16		21		26			31
35		17		22		27			32
24		18		23		28			33
Quota cambio Trimix/Ean 50 21 mt.									
21	1	19	1	24	1	29	1	34	
18					2	31	3	37	
15			1	26	2	33	4	41	
12	1	21	2	28	4	37	4	45	
9	3	24	4	33	6	43	11	56	
6	5	29	10	43	16	59	17	73	
3	16	45	20	63	25	84	30	103	
T.T.	46'	64'	85'	104'					

Trimix 18% O ₂ 34% He END 32									
P.M.	60	60	60	60					
B.T.	10	15	20	25					
50		11		16		21			26
40		12		17		22			27
30		13		18		23			28
24							2	30	
Quota cambio Trimix/Ean 50 21 mt.									
21	1	15	1	20	1	25	1	31	
18					1	26	2	33	
15			1	21	2	28	3	36	
12		16	2	23	3	31	6	42	
9	1	17	3	26	6	37	8	50	
6	2	19	6	32	12	49	17	67	
6	10	29	20	52	23	72	29	96	
T.T.	30'	53'	73'	97'					

Trimix 18% O ₂ 34% He END 32									
P.M.	65	65	65	65					
B.T.	10	15	20	25					
55		11		16		21			26
45		12		17		22			27
35		13		18		23			28
27							1	30	
24		14		19	1	25	2	32	
Quota cambio Trimix/Ean 50 21 mt.									
21	1	15	1	20	1	26	1	33	
18			2	22	3	29	4	37	
15			1	23	2	31	4	41	
12	1	17	2	25	4	35	5	46	
9	2	19	4	29	6	41	13	59	
6	3	22	8	37	17	58	17	76	
3	13	35	21	58	24	82	32	108	
T.T.	36'	59'	83'	109'					

Trimix 18% O₂ 34% He END 32								
P.M.	70	70	70	70				
B.T.	10	15	20	25				
60		11		16		21		26
50		12		17		22		27
40		13		18		23		28
30		14		19		24	1	30
27					1	25	2	32
24					3	28	3	35
Quota cambio Trimix/Ean 50 21 mt.								
21	1	16	1	21	1	29	1	36
18			2	23	2	31	4	40
15			1	24	3	33	5	45
12	2	19	3	27	6	40	7	52
9	2	21	5	32	9	49	15	67
6	4	25	11	43	17	66	17	84
3	16	41	21	64	29	95	36	120
T.T.	42'	65'	96'	121'				